



# PRODUCT CATALOG



## YOUR WOOD CONCIERGE

Laser focused on premium quality products & premium level service.



## Real Hardwood Decking

### *High End Look. Tough As Nails Performance.*

A long-lasting alternative to treated softwood lumber and synthetic materials, genuine hardwood decking increases home value while adding stunning outdoor living space. Natural Beauty. Long Lasting. Low Maintenance. Durable.

## Your Partner in Sales.

ETT Fine Woods is laser focused on premium quality products & premium level service. ***Our salespeople are trained specialists who can help you select the right hardwood decking based on budget, location, and project goals.***

### Environmental Sustainability

ETT Fine Woods is committed to supporting responsible forest stewardship. To help ensure that, we follow standard operating procedures that track lumber origin, legal harvesting, and shipment of lumber.

By promoting sustainable forestry and sourcing only legally harvested lumber, we encourage communities to conserve forested areas for the future.

At ETT our objective is to use wood resources carefully, balancing sustainable use of wood today while supporting conservation of resources for future generations. This conscious balance helps us to contribute to the improving of long-term socio-economic benefits for the people and communities where we do business.



## Cumaru Decking, S4S, E4E, 7'-20'

4/4*	1 x 6, 1 x 8	8/4	2 x 2, 2 x 4, 2 x 8
5/4*	5/4 x 4, 5/4 x 6, 5/4 x 8, 5/4 x 12		



## Garapa Decking, S4S, E4E, 7'-20'

4/4*	1 x 6, 1 x 8	16/4	4 x 4
5/4*	5/4 x 4, 5/4 x 6		
8/4	2 x 2, 2 x 4, 2 x 6, 2 x 8		



## Ipe Decking, S4S, E4E, 7'-20'

4/4*	1 x 2, 1 x 4, 1 x 6 1 x 6+ (21 mm) 1 x 8, 1 x 10, 1 x 12	8/4	2 x 2, 2 x 3, 2 x 4, 2 x 6, 2 x 8, 2 x 10, 2 x 12
		12/4	3 x 4, 3 x 6, 3 x 8, 3 x 10, 3 x 12
5/4*	5/4 x 4, 5/4 x 6, 5/4 x 8 5/4 x 10, 5/4 x 12	16/4	4 x 4, 4 x 6, 4 x 8, 4 x 10, 4 x 12 6 x 6



## Kanda Decking, S4S, E4E, 6'-14'

4/4*	1 x 6, 1 x 6+ (21 mm)		
5/4*	5/4 x 4, 5/4 x 6		



## Massaranduba Decking, S4S, E4E, 7'-20'

4/4*	1 x 4		
5/4*	5/4 x 4, 5/4 x 6		



## Tali Decking, S4S, E4E, 6'-14'

4/4*	1 x 6, 1 x 6+ (21 mm)		
5/4*	5/4 x 4, 5/4 x 6		



## Tigerwood Decking, S4S, E4E, 7'-20'

5/4*	5/4 x 4, 5/4 x 6		
------	------------------	--	--



## Red Balau Decking, S4S, E4E, 7'-20'

4/4*	1 x 4, 1 x 6		
5/4*	5/4 x 4, 5/4 x 6		



**\*All 4/4 and 5/4 Decking Available Pre-Grooved for Use With Hidden Fastener Systems.**

Stocking programs and our One Deck at a Time program available.

*Your Partner for Premium Woods that Improve Your Bottom Line.*

**ETTFineWoods.com**

# HARDWOOD T&G PORCH FLOORING

## Cumaru Decking, S4S, E4E, 7'- 20'

5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)



## Kanda Decking, S4S, E4E, 6'-14'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)



## Tali Decking, S4S, E4E, 6'-14'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)




## Garapa T&G Porch Flooring, S4S, 7'-20'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)



## Ipe T&G Porch Flooring, S4S, 7'-20'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)



## Massaranduba T&G Porch Flooring, S4S, 7'-20'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)





## Red Balau T&G Porch Flooring, S4S, 7'-20'

4/4 | 1 x 4 (Net 11/16" x 3" T&G)  
5/4 | 5/4 x 4 (Net 15/16" x 3" T&G)



Stocking programs and our One Deck at a Time program available.




Your Partner for Premium Woods that Improve Your Bottom Line.

[ETTFineWoods.com](http://ETTFineWoods.com)



## Cumaru Shiplap Siding, S4S, 7'-20'

1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



## Kanda Shiplap Siding, S4S, 6'-14'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal


1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



## Garapa Shiplap Siding, S4S, 7'-20'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal


1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



## Ipe Shiplap Siding, S4S, 7'-20'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal


1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



## Massaranduba Shiplap Siding, S4S, 7'-20'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal

1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



## Red Balau T&G Shiplap Siding, S4S, 7'-20'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal

1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal





## Tali T&G Shiplap Siding, S4S, 6'-14'

1 x 4      Net 5/8" x 3-1/4" with 2-5/8" face, 1/8" reveal

1 x 6      Net 5/8" x 5-1/4" with 4-1/2" face, 1/8" reveal



Stocking programs and our One Deck at a Time program available.  
Custom millwork services for special sizes or siding profiles.



# HARDWOOD RAINSCREEN SIDING

A rainscreen is an exterior wall detail where the siding (wall cladding) stands off from the moisture-resistant surface of an air barrier applied to the sheathing (sheeting) to create a capillary break and to allow drainage and evaporation.

Stocking programs and our One Deck at a Time program available.  
Custom millwork services for special sizes or siding profiles.

## Cumaru Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Garapa Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Ipe Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Kanda Rainscreen Siding, \$4\$, 6'-14'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Massaranduba Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Tali Rainscreen Siding, \$4\$, 6'-14'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"



## Tigerwood Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Red Balau Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

## Deckwise Hidden Siding Fasteners Accessories Kit Available.







# HARDWOOD CLIMATE-SHIELD™ SIDING

Climate-Shield™ Rainscreen Siding is an exterior wall detail where the siding (wall cladding) stands off from the moisture-resistant surface of an air barrier applied to the sheathing (sheeting) to create a capillary break and to allow drainage and evaporation.

Custom millwork services for special sizes or siding profiles.

Cumaru Climate-Shield™ Rainscreen Siding, S4S, 7'-20'	
1 x 6	Net 11/16" x 5-1/4"
Garapa Climate-Shield™ Rainscreen Siding, S4S, 7'-20'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Ipe Climate-Shield™ Rain Screen Siding, S4S, 7'-20'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Kanda Climate-Shield™ Rainscreen Siding, S4S, 6'-14'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Massaranduba Climate-Shield™ Rainscreen Siding, S4S, 7'-20'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Red Balau Climate-Shield™ Rainscreen Siding, S4S, 7'-20'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Tali Climate-Shield™ Rainscreen Siding, S4S, 6'-14'	
1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"

Climate-Shield™  
Rainscreen Siding Fasteners  
Available.



## ACCESSORIES - FASTENERS




### Hidden Deck Fasteners for Hardwood Decks

Hidden deck fasteners automatically provide regular spacing between deck boards while securing the board to the joist. Kits come with fasteners, screws, drill and driver bits, hardwood plugs, accessories and instructions.

#### EB-TY® Premium

Kit covers 100 square feet (joists 16" o.c.) and comes with:

- (175) EB-TY® Premium biscuits
- (190) Type 305 stainless steel #7 x 2-1/4" screws with T-15 star drive head painted black
- (12) Ipe hardwood plugs for first and last boards
- (1) EB-GUIDE predrilling tool for precise angle
- (1) 1/8" quick-release impact-ready drill bit
- (1) T-15 6-lobe driver bit for reduced cam outs



#### EB-TY® Premium

Gap Spacing  
Use for

For 3/32" Board Spacing  
Use for 3/4" or greater wood  
with moisture content  
greater than air dry (approx. 19%)

EB332WDR175 / EBTYFP



#### EB-TY® Premium KD

For 1/4" Board Spacing  
Use for 3/4" or greater  
kiln-dried decking  
with moisture content  
less than air dry (approx. 19%)

EB14WDR175 / EBTYKD

### Stainless Steel Screws

- Type 305 stainless steel
- T-15 star drive head
- T-15 star driver bit included



(A) 2-1/4"

S07225WP1  
S07225WPB

#7 Trimhead screw  
#7 Trimhead screw

350pcs  
1,750pcs

(B) 1-5/8"

S07162WP1  
S07162WPB

#7 Trimhead screw  
#7 Trimhead screw

350pcs  
4,000pcs










## Hidden Deck Fasteners for Hardwood Decks

Hidden deck fasteners automatically provide regular spacing between deck boards while securing the board to the joist. Kits come with fasteners, screws, drill and driver bits, hardwood plugs, accessories and instructions.

### Ipe Clip® Extreme®

Kit covers 100 square feet (joists 16" o.c.) and comes with:

- (175) Ipe Clip® Extreme® Hidden Deck Fasteners
- (190) Stainless Steel T15 - Star Drive Screws
- (12) 3/8" [9.5mm] Tapered Ipe plugs
- (1) 1/8" [3,2mm] High Speed Drill Bit
- (1) Screw Gun Driver Bit
- (1) Instruction Sheet
- Extreme4® and ExtremeKD® also come with:  
(3) Deck Board Spacers



	Extreme®	Extreme® Tall*	Extreme4®	ExtremeKD®
Gap Spacing	3/32" [2.4mm]		5/32" [4mm]	1/4" [6.4mm]
Black	ICEX-SBL / IPCLEXSBL	ICEX-TBL / IPCLEXTBL	ICEX4-BL / IPCLEX4SBL	ICEXKD-SBL / IPCLEXKSBL
Brown	ICEX-SBR / IPCLEXSBN	ICEX-TBR / IPCLEXTBN	ICEX4-BR / IPCLEX4SBN	ICEXKD-SBR / IPCLEXKSBN
* Extreme® Tall has .375" [9.525mm] leg height for 5/4 deck boards. All others have .242" [6.14mm] leg height.				

## Hardwood Plugs




Hardwood plugs help ensure a truly smooth, flat deck surface. Available in all hardwood species to match your decking.



**1,750-pack of 3/8" diameter plugs**  
Ipe • Cumaru • Garapa • Massaranduba  
Tigerwood • Red Balau • Tali Kanda  
Specify Hardwood



## ACCESSORIES - FINISHING TOUCHES & TOOLS



### Cutek® Extreme

Cutek® is a high performance, oil-based wood stabilizer with a unique self-healing effect. Penetrating deeply into wood, Cutek® Extreme highlights the natural grain and beauty of wood while providing robust and long-lasting protection. Cutek® Extreme will not flake or peel - no need to sand or strip to maintain.

### AnchorSeal2® End-Sealer for Hardwoods

AnchorSeal® is a high quality wax sealer that provides protection to prevent end-checking in freshly-sawn green logs and lumber. The sooner AnchorSeal® is applied after sawing, the more effective it will be in reducing end checking. Available by the quart.

### DeckWise Wood® Deck Cleaner (Part 1) and Brightener (Part 2)

DeckWise® Wood Deck Cleaner (Part 1) and Brightener (Part 2) remove dirt and greying in preparation for re-oiling and applying finishes. These concentrated powders are formulated specifically to cleanse and brighten exterior wood decks, wood fences, patios, terraces, wood siding, benches, chairs, and other outdoor wood items. Approximate coverage on dense smooth hardwoods: 600 ft<sup>2</sup> (55 m<sup>2</sup>) / 16 oz.

### Ipe Oil® Plus™ 100 VOC

Ipe Oil® Plus™ Finish is a deep penetrating oil-based formula specifically designed for exotic hardwoods. Trans-oxide pigments protect against UV damage and reduces chances of warps & cracks and preserve the natural beauty of all exterior hardwoods with minimal raising of the grain. Approximate coverage on smooth wood: 250-300 ft<sup>2</sup> (23-28 m<sup>2</sup>) / gallon. Rough wood coverage estimate: 150-250 ft<sup>2</sup> (14-23 m<sup>2</sup>) / gallon.

### BoWrench® Deck Tool

The BoWrench® Deck Tool is a must-have for installation if you want straight gaps.

- Basic tool binds itself to any 2x (net 1-1/2") joist
- Frees up hands and legs, Gripper swivels for angled decking
- Interchangeable parts for pushing or pulling. Closes gaps up to 2-1/4" +
- Left or right handed. Simple to operate, Powerful mechanical leverage advantage.



### DeckWise® Drill & Drive™

- 3-in-1 Pre-Drill, Countersink and Driver Tool
- Why have three separate tools when the DeckWise® Drill & Drive™ tool does the work of all three?
- Quickly install deck screws up to 3x times faster than standard drilling and driving screws. Plus it is a handy tool to have for miscellaneous projects around the house.
- Turn your drill into a 3-in-1 productive decking tool – after pre-drilling and countersinking with one of the included bits, pop the lock open, flip the insert to drive screws with the included star drive tip.






## Deck Tiles – Smooth Face

Product Code	Product Description	Imperial Size / Metric Size	Square Foot Coverage	Backing	Decking Face Width	Weight	Pallet Size
IPETILES 20SM	20" X 20" Ipe Deck Tile with Smooth Face	1.18" x 19.685" x 19.685" 30mm x 500mm x 500mm	2.7SF per Tile	Z Back	2-5/8"	12.5lbs	128pc per Pallet
IPETILES 24SM	24" X 24" Ipe Deck Tile with Smooth Face	1.5" x 23.875" x 23.875" 38mm x 606mm x 606mm	4SF per Tile	Straight Back	2-3/4"	22.5lbs	100pc per Pallet

- Sold Individually or in Pallet
- Resistant to Insect Infestation
- Easy to Install
- Maintain Color or Weather to Grey Patina
- Apply in Different Patterns
- Apply Over Existing Deck
- Roof Applications
- Use on the Ground
- Ideal for Walkways
- Landscape Design



## I Connectors - Decking Tiles

Product Code	Product Description	Thickness	Color	Composition	
IPETILECNCTRS	Ipe Tile Connectors w/9mm Panel Fasteners	5/32"	Black	Polyethylene	

- Sold Individually, One Per Tile
- Chemical and UV Resistant
- Predrilled Countersink Holes for Easy Install
- Can be Divided into Halves and Quarters
- Adjustable Pedestals Available by Special Order
- Lightweight and Durable
- Prevents Direct Contact with Ground
- Preset Gap Spacing for Even Looking Surface
- Only Hand Tools Required

# PLANTATION TEAK LUMBER

Teak, known as the "king" of hardwoods due to its long service life and durable characteristics, is a close-grained wood with high natural oil content. It is one of the most durable of all timbers, highly resistant to rotting and weathering.

Plantation teak is grown on managed tree farms and offers a readily available and sustainable source of Teak, aligning with green building and sustainable marine practices. ETT Fine Woods also stocks FSC-certified Plantation Teak and can manufacture that into a variety of products.

Durable – Teak is resistant to climate extremes, insects and fungus. It is not harmed by acids or alkali solutions. Plus, Teak's inherent silica content and natural oils allow it to weather without the need of preservatives or sealants.

Restorable – Even after being left untreated for years, Teak can be restored to its original golden-brown color. Many prefer to let it weather to an attractive silver-gray. Teak that has been coated with finishes and oils can retain its original condition with regular applications.

GRADES	FEQ in stock
CUTS	Flatsawn, Quartersawn
SIZES	4/4, 5/4, 6/4, 8/4, 10/4, 12/4, 16/4 3" and wider, 6' to 20' Shorts also available Custom sizes are available Special pulls for length or width Special pulls for grain
DRYING	Kiln-Dried (KD)





## FSC® Certified Ipe Decking, S4S, E4E, 7' - 20'

4/4	1 x 4, 1 x 6, 1 x 12	12/4	3 x 4, 3 x 8, 3 x 10, 3 x 12
5/4	5/4 x 4, 5/4 x 6, 5/4 x 8, 5/4 x 1	16/4	4 x 4, 4 x 10
8/4	2 x 2 (2' - 20' available), 2 x 4, 2 x 6, 2 x 8	24/4	6 x 6



## FSC® Certified Red Balau Decking, S4S, E4E, 6' - 20'

4/4	1 x 4
5/4	5/4 x 6



## FSC® Certified Garapa Decking, S4S, E4E, 7' - 20'

5/4	5/4 x 4, 5/4 x 6, 5/4 x 8, 5/4 x 10
-----	-------------------------------------



## FSC® Certified Kanda Decking, S4S, E4E, 6' - 14'

4/4	1 x 4, 1 x 6
5/4	5/4 x 4, 5/4 x 6



## FSC® Certified Tali Decking, S4S, E4E, 6' - 14'

4/4	1 x 4, 1 x 6
5/4	5/4 x 4, 5/4 x 6
8/4	2 x 4, 2 x 6



Stocking programs and our One Deck at a Time program available.

ETT Fine Woods is a Chain of Custody distributor and can provide you with our FSC certification if needed. This process monitors every step of the process, from harvesting, importation, milling, through shipping.

FSC is a sustainability certification framework based on environmental, social, and economical principles and criteria, with an overall vision of providing current forest product needs without compromising forest health for future generations.



The mark of responsible forestry


Your Partner for Premium Woods that Improve Your Bottom Line.

[ETTFineWoods.com](http://ETTFineWoods.com)

# ACCOYA WOOD DECKING

## Accoya Decking, S4S, E4E 8'-16' evens only

4/4	7/8 x 4, 7/8 x 6, 7/8 x 8, 1 x 3, 1 x 4, 1 x 5, 1 x 6, 1 x 8, 1 x 10, 1 x 12
5/4	5/4 x 4, 5/4 x 5, 5/4 x 6, 5/4 x 6 gray, 5/4 x 8
6/4	6/4 x 4, 6/4 x 5, 6/4 x 6, 6/4 x 8, 6/4 x 10, 6/4 x 12
8/4	2 x 3, 2 x 4, 2 x 5, 2 x 6, 2 x 8, 2 x 10
10/4	10/4 x 4, 10/4 x 5, 10/4 x 6, 10/4 x 7, 10/4 x 8
12/4	3 x 4, 3 x 6



ETT Fine Woods is proud to be a manufacturing partner of Accoya wood, offering Accoya decking and siding with pre-grooved (PG) and tongue-and-groove (T&G) profiles and manufacturing custom millwork for special profiles. Manufactured in Kingston, Tennessee and to supply North America, as well as in Arnhem, Netherlands, Accsys transforms fast-growing, certified sustainable wood into Accoya wood through its proprietary acetylation process.


Accoya wood is highly resistant to shrinkage, checking, splintering, insect infestation, decay, and rot. It is low maintenance, withstanding extreme weather conditions even when used in boat docks and heavy-duty flooring.

## How is Accoya Made?

Acetylation wood technology permanently modifies the wood to prevent it from being able to absorb water, rather than treating wood with a toxic chemical to try to stop rot or insect attacks. The result is real wood that doesn't rot.

According to Accsys:

Treating or modifying wood by subjecting a softwood to a vinegar, which turns it into a hardwood by preventing the cells in the wood from being able to absorb water.



**So acetylated wood is... Pickled wood? More or less. yes.**

## Accoya Ecolabels - a Certified Green Material

Accoya voluntarily complies with a variety of independent environmental assessments through LCA and carbon footprint. In addition, Accoya actively seeks to acquire the most respected ecolabels available and has been widely recognized in the field of sustainability. All Accoya is sustainably sourced and verified using FSC® certification.



*Your Partner for Premium Woods that Improve Your Bottom Line.*

**ETTFineWoods.com**

High quality fine woods lead to beautiful and stunning finished projects.

From lumber and plywood to decking and millwork, you can depend on us to provide you with the very best wood for your project.



Locations strategically placed to serve you better.



## Striving to Provide Decking Wholesale Customers With What You Need ONE DECK AT A TIME.

We understand it's not always an option to order in unit quantities or full truckloads. That's why we offer our One Deck At A Time program! This decking program allows our wholesale customers to order what you need, when you need it, with fast turn-over time, and prompt delivery.



**2025**

Donalds, SC  
Sultan, WA

Corona, CA  
Croydon, PA

[Sales@ETTFineWoods.com](mailto:Sales@ETTFineWoods.com)

Phone: 864-379-2111

Toll free 800-338-5636

**ETTFineWoods.com**