

(864) 379-2111 (800) 589-6637 (800) 537-3369

HARDWOOD DECKING

No minimum orders required. Stocking programs and our One Deck at a Time program available.

Cumaru Decking, \$4\$,E4E, 7'-20'

4/4	1x6, 1x8
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG, 5/4x8
8/4	2x2, 2x4, 2x6
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Garapa Decking, \$4\$,E4E, 7'-20'

4/4	1x6, 1x8
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG
8/4	2x2, 2x4, 2x6, 2x8
16/4	4x4
Accessories	3/8" Plugs, *only custom rail profiles available



Ipe Decking, \$4\$,E4E, 7'-20'

4/4	1x2, 1x4, 1x4 PG, 1x6, 1x6 PG, 1x8, 1x10, 1x12
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG, 5/4x8, 5/4x10, 5/4x12
8/4	2x2, 2x3, 2x4, 2x6, 2x8, 2x10, 2x12
12/4	3x4, 3x6, 3x8, 3x10, 3x12
16/4	4x4, 4x6, 4x8, 4x10, 4x12
24/4	6x6
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Massaranduba Decking, \$4\$,E4E, 7'-20'

4/4	1x4, 1x4 PG, 1x6
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Tigerwood Decking, \$4\$,E4E, 7'-20'

go:oou	
5/4	5/4x6, 5/4x6 PG
Accessories	3/8" Plugs, *only custom rail profiles available



Red Balau Decking, \$4\$, E4E, 7'-20'

4/4	1x4, 1x4 PG
5/4	5/4x6, 5/4x6 PG
Accessories	3/8" Plugs, Sub-Rail, Rail Cap





(864) 379-2111 (800) 589-6637 (800) 537-3369

FSC® CERTIFIED HARDWOOD DECKING

No minimum orders required. Stocking programs and our One Deck at a Time program available.

FSC® Certified Ipe Decking, \$4\$,E4E, 7'-20'

4/4	1x4, 1x6
5/4	5/4x4, 5/4x6
8/4	2x2 (3'-20' available), 2x4, 2x6, 2x8



FSC® Certified Red Balau Decking, \$4\$,E4E, 6'-20'

4/4	1x4
5/4	5/4x6

FSC® Certified Hardwood Decking provides those who are looking for green building materials with a way to purchase high quality exotic hardwood decking.



FSC certification insures buyers of a legal and environmentally sustainable supply chain, while ensuring compliance with government procurement regulations. The Forest Stewardship Council® (FSC®) is the only forest certification system that is supported by all major environmental groups.

Certified hardwood decking is a great way toward earning credit in LEED green building projects, such as the MRc7 credit.

East Teak Thompson is a Chain of Custody distributor and can provide you with our FSC certification if needed. This process monitors every step of the process, from harvesting, importation, milling, through shipping.

FSC® Certified Hardwood Ipe Decking is not only certified to be sustainable but has a longer service life than other softwood options. This extended service life of approximately 25 years means less replacement and a lower overall environmental impact.





www.fsc.org FSC® 002289



(864) 379-2111 (800) 589-6637 (800) 537-3369

HARDWOOD RAILING SYSTEM


East Teak Thompson offers hardwood railing systems for use in conjunction with decking and porch flooring products. We also offer millwork services for special sizes and profiles.

Sizes – Railing systems are available in random lengths 7' to 20'. Sizes and lengths can vary. No minimum orders required. Stocking programs and our One Deck at a Time program available.

Custom millwork services for special sizes or siding profiles.

Hardwood Railing Systems, \$4\$,7'-20'

Railing Part (milled from)	Species Available
11/2" Handrail (2x4)	Ipe, Garapa, Cumaru
3/4" Subrail (1x4)	Massaranduba, Red Balau
1" Subrail (5/4x4)	Ipe, Garapa, Cumaru
11/4" Big Railcap (2x6)	Ipe, Garapa, Cumaru
1" Flat Railcap (5/4x6)	Ipe, Garapa, Cumaru, Massaranuba, Tigerwood, Red Balau





(864) 379-2111 (800) 589-6637 (800) 537-3369

HARDWOOD T&G PORCH FLOORING

No minimum orders required. Stocking programs and our One Deck at a Time program available.

Cumaru T&G Porch Flooring, S4S, 7'-20'

5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Garapa T&G Porch Flooring, \$4\$,7'-20'

5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, *only custom rail profiles available




Ipe T&G Porch Flooring, \$4\$, 7'-20'

4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap




Massaranduba T&G Porch Flooring, S4S, 7'-20'


Massararia	350 1&0 1 01cm 1100mig, 3-3, 7 -20
4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Red Balau T&G Porch Flooring, \$4\$, 7'-20'

4/4		1x4 (Net 11/16" x 3" T&G)
Access or	ries	3/8" Plugs, Sub-Rail, Rail Cap







(864) 379-2111 (800) 589-6637 (800) 537-3369

HARDWOOD SHIPLAP SIDING

East Teak Thompson offers hardwood Shiplap Siding for exterior walls and ceilings.

Sizes – Shiplap Siding is available in random lengths 7' to 20'. Sizes and lengths can vary. No minimum orders required. Stocking programs and our One Deck at a Time program available. Custom millwork services for special sizes or siding profiles.

Cumaru Shiplap Siding, \$4\$, 7'-20'

1 x 6	Net 10/16" x 5-1/4" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



Garapa Shiplap Siding, \$4\$,7'-20'

1 x 6	Net 10/16" x 5-1/4" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



Ipe Shiplap Siding, \$4\$, 7'-20'

1 x 4	Net 10/16" x 3-1/4" with 2-5/8" face, 1/8" reveal
1 x 6	Net 10/16" x 5-1/4" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



Massaranduba Shiplap Siding, \$4\$, 7'-20'


1 x 4	Net 10	/16" x 3-1/4" with 2-5/8" face, 1/8" reveal
1x6	Net 10	/16" x 5-1/4" with 4-1/2" face, 1/8" reveal
Accessorie	s 3/8" Pl	ugs




Red Balau Shiplap Siding, S4S, 7'-20'

1 X 4		1 x 4	Net 10/16" x 3-1/4" with 2-5/8" face, 1/8" reveal
-------	--	-------	---







1 x 4 Shiplap Siding Actual Dim: 5/8" x 3-1/4"



(864) 379-2111 (800) 589-6637 (800) 537-3369

Siding Fasteners

Accessories Kit Available.

HARDWOOD RAINSCREEN SIDING

East Teak Thompson offers hardwood Rainscreen Siding for exterior walls and ceilings. A rainscreen is an exterior wall detail where the siding (wall cladding) stands off from the moisture-resistant surface of an air barrier applied to the sheathing (sheeting) to create a capillary break and to allow drainage and evaporation.

Sizes – Rainscreen Siding is available in random lengths 7' to 20'. Sizes and lengths can vary.

No minimum orders required. Stocking programs and our One Deck at a Time program available.

Custom millwork services for special sizes or siding profiles.

Deckwise Hidden

Cumaru Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

Garapa Rainscreen Siding, \$4\$,7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

Ipe Rainscreen Siding, \$4\$, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

Massaranduba Rainscreen Siding, S4S, 7'-20'


5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"

Tigerwood Rainscreen Siding, S4S, 7'-20'


5/4 x 6	Net 0.960" x 5-1/16"

Red Balau Rainscreen Siding, S4S, 7'-20'

5/4 x 6	Net 0.960" x 5-1/16"
---------	----------------------







5/4 x 4 Rainscreen Siding

Actual Dim: 0.960"x3 1/16"



(864) 379-2111 (800) 589-6637 (800) 537-3369

HARDWOOD CLIMATE-SHIELD SIDING

East Teak Thompson offers hardwood Climate-ShieldTM Rain Screen Siding for exterior walls and ceilings. A rainscreen is an exterior wall detail where the siding (wall cladding) stands off from the moisture-resistant surface of an air barrier applied to the sheathing (sheeting) to create a capillary break and to allow drainage and evaporation.

Sizes – Climate-Shield™ Rain Screen Siding is available in random lengths 7' to 20'. Sizes and lengths can vary.

No minimum orders required. Stocking programs and our One Deck at a Time program available. Custom millwork services for special sizes or siding profiles.

Cumaru Climate-Shield™ Rain Screen Siding, S4S, 7'-20'

1 x 6	Net 11/16" x 5-1/4"
Accessories	Climate-Shield™ Rain Screen Siding Fasteners

Climate-Shield™ Rain Screen Siding Fasteners Available.

Garapa Climate-Shield™ Rain Screen Siding, \$4\$,7'-20'

1 x 6	Net 11/16" x 5-1/4"
Accessories	Climate-Shield™ Rain Screen Siding Fasteners

Ipe Climate-Shield™ Rain Screen Siding, S4S, 7'-20'


1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Accessories	Climate-Shield™ Rain Screen Siding Fasteners

Massaranduba Climate-Shield™ Rain Screen Siding, S4S, 7'-20'

1 x 4	Net 11/16" x 3-5/16"
1 x 6	Net 11/16" x 5-1/4"
Accessories	Climate-Shield™ Rain Screen Siding Fasteners

Red Balau Climate-Shield™ Rain Screen Siding, S4S, 7'-20'

1 x 4	Net 11/16" x 3-5/16"





(864) 379-2111 (800) 589-6637 (800) 537-3369

ACCESSORIES - FASTENERS

Hidden Deck Fasteners for Hardwood Decks

Hidden deck fasteners automatically provide regular spacing between deck boards while securing the board to the joist. Kits come with fasteners, screws, drill and driver bits, hardwood plugs, accessories and instructions.

EB-TY® Premium

Kit covers 100 square feet (joists 16" o.c.) and comes with:

(175) EB-TY® Premium biscuits


(190) Type 305 stainless steel #7 x 2-1/4" screws with T-15 star drive head painted black


(12) Ipe hardwood plugs for first and last boards

- (1) EB-GUIDE predrilling tool for precise angle
- (1) 1/8" quick-release impact-ready drill bit
- (1) T-15 6-lobe driver bit for reduced cam outs









	EB-TY® Premium	EB-TY® Premium KD
Gap Spacing	For 3/32" Board Spacing	For 1/4" Board Spacing
Use for	Use for 3/4" or greater wood with moisture content greater than air dry (approx. 19%)	Use for 3/4" or greater kiln-dried decking with moisture content less than air dry (approx. 19%)
	EB332WDR175 / EBTYFP	EB14WDR175 / EBTYKD

Stainless Steel

- Type 305 stainess steel
- T-15 star drive head
- T-15 star driver bit included









				П
Jō.	1	0.	21	

(A) 2-1/4"	S07225WP1	#7 Trimhead screw	350pcs
	S07225WPB	#7 Trimhead screw	1,750pcs
(B) 1-5%"	S07162WP1	#7 Trimhead screw	350pcs
	S07162WPB	#7 Trimhead screw	4,000pcs



(864) 379-2111 (800) 589-6637 (800) 537-3369

ACCESSORIES - FASTENERS

Hidden Deck Fasteners for Hardwood Decks

Hidden deck fasteners automatically provide regular spacing between deck boards while

Ipe Clip® Extreme®

Kit covers 100 square feet (joists 16" o.c.) and comes with:

- (175) Ipe Clip® Extreme® Hidden Deck Fasteners
- (190) Stainless Steel T15 Star Drive Screws
- (12) 3/8" [9.5mm] Tapered Ipe plugs
- (1) 1/8" [3,2mm] High Speed Drill Bit
- (1) Screw Gun Driver Bit
- (1) Instruction Sheet

Extreme4® and ExtremeKD® also come with:

(3) Deck Board Spacers













	Extreme®	Extreme® Tall*	Extreme4®	ExtremeKD®
Gap Spacing	3/32" [2	2.4mm]	5/32" [4mm]	1/4" [6.4mm]
Black	ICEX-SBL / IPCLEXSBL	ICEX-TBL / IPCLEXTBL	ICEX4-BL / IPCLEX4SBL	ICEXKD-SBL / IPCLEXKSBL
Brown	ICEX-SBR / IPCLEXSBN	ICEX-TBR / IPCLEXTBN	ICEX4-BR / ICEXKD-IPCLEX4SBN IPCLEX	

^{*} Extreme® Tall has .375" [9.525mm] leg height for 5/4 deck boards. All others have .242" [6.14mm] leg height.



Hardwood plugs help ensure a truly smooth, flat deck surface. This tapered design makes installation smooth and easy. Available in all hardwood species to match your decking.




Ipe • Cumaru • Garapa • Massaranduba Tigerwood • Red Balau Specify Hardwood





page 9





(864) 379-2111 (800) 589-6637 (800) 537-3369

ACCESSORIES - FINISHING TOUCHES & TOOLS



AnchorSeal2® End-Sealer for Hardwoods

AnchorSeal® is a high quality wax sealer that provides protection to prevent end-checking in freshly-sawn green logs and lumber. The sooner AnchorSeal® is applied after sawing, the more effective it will be in reducing end checking. Available by the quart.

Messmer's Wood Deck Cleaner and Brightener

Easy to use and biodegradable. Messmer's Wood and Deck Cleaner and Brightener (Part A and B) powder concentrates are specially formulated to clean and brighten exterior wood decks, porches, walls, and other exterior wood projects.



This two-part process removes superficial dirt and grime, and then removes deep tannin stains that result from extractive bleeding. Cleans up to 500 square feet per 16 oz. jar.

Messmer's Natural UV Plus for Hardwood Decks

Messmer's UV Plus for Hardwood Decks is an oil-based product that protects and conditions hardwoods, while also maintaining a natural appearance. It is produced with professional results in mind, providing water repellency and UV protection. Available by the gallon.





MESSMER'S

The BoWrench® Deck Tool is a must-have for installation if you want straight gaps.

- Basic tool binds itself to any 2x (net 1-1/2") joist
- Frees up hands and legs, Gripper swivels for angled decking
- Interchangeable parts for pushing or pulling, Closes gaps up to 2-1/4" +
- Left or right handed. Simple to operate, Powerful mechanical leverage advantage.







DeckWise® Drill & Drive™

- 3-in-1 Pre-Drill, Countersink and Driver Tool
- Why have three separate tools when the DeckWise® Drill & Drive™ tool does the work of all three?
- Quickly install deck screws up to 3x times faster than standard drilling and driving screws. Plus it is a handy tool to have for miscellaneous projects around the house.
- Turn your drill into a 3-in-1 productive decking tool after pre-drilling and countersinking with one of the included bits, pop the lock open, flip the insert to drive screws with the included star drive tip.



(864) 379-2111 (800) 589-6637 (800) 537-3369

POST CAPS AND SKIRTS

East Teak Thompson offers slip-over Ipe post caps and matching skirts for 4" x 4" railing systems (6" x 6" available special order). These high quality products provide years of beauty, protection, and a finished look to your post installation.

Federal Post Cap



Federal moulding size (1½" Deep)

Post Skirt



Federal moulding size (1%" High x 1½" Deep)

POST CAPS Nominal Size • Actual Post Size • Code

4 x 4	3½" x 3½"	FI312
6 x 6*	5½" x 5½"	FI512

^{*}special order

- Slip-Over Post Cap and Matching Skirt
- Adds a beautiful, finished look to your post installation
- High Quality Ipe Wood
- Made in USA
- Sold natural and unfinished
- Caps shipped assembled



Contact us for pricing details. Skirts sold separately. Caps are shipped assembled. Skirts are shipped unassembled to be installed on site.



(864) 379-2111 (800) 589-6637 (800) 537-3369

IPE DECKING TILES







Deck Tiles - Smooth Face

Product Code	Product Description	Imperial Size / Metric Size	Square Foot Coverage	Backing	Decking Face Width	Weight	Pallet Size
IPETILES 20SM	20" X 20" Ipe Deck Tile with Smooth Face	1.18" x 19.685" x 19.685" 30mm x 500mm x 500mm	2.7SF per Tile	Z Back	2-5/8"	12.5lbs	128pc per Pallet
IPETILES 24SM	24" X 24" Ipe Deck Tile with Smooth Face	1.5" x 23.875" x 23.875" 38mm x 606mm x 606mm	4SF per Tile	Straight Back	2-3/4"	22.5lbs	100pc per Pallet

- Sold Individually or in Pallet
- Resistant to Insect Infestation
- Easy to Install
- Maintain Color or Weather to Grey Patina
- Apply in Different Patterns

- Apply Over Existing Deck
- Roof Applications
- · Use on the Ground
- Ideal for Walkways
- Landscape Design



I Connectors - Decking Tiles

Product Code	Product Description	Thickness	Color	Composition
IPTILECNCTRS	Ipe Tile Connectors w/9mm Panel Fasteners	5/32"	Black	Polyethylene



- Sold Individually-One Per Tile
- Chemical and UV Resistant
- Predrilled Countersink Holes for Easy Install
- Can be Divided into Halves and Quarters
- Adjustable Pedestals Available by Special Order
- Lightweight and Durable
- Prevents Direct Contact with Ground
- Preset Gap Spacing for Even Looking Surface
- Only Hand Tools Required



(864) 379-2111 (800) 589-6637 (800) 537-3369

TEAK PLYWOOD - TEAK & HOLLY PLYWOOD

California 93120 Phase 2 and TSCA Title VI compliant for formaldehyde.

Teak Plywood – Fancy Marine Grade

Product Code	Product Description	Metric Size	Number of Veneers	Weight
TP418A3	1/8" Teak Plywood AB 4x8 type 2 glue	3ММ	3	11lbs
TP414A3	1/4" Teak Plywood AB 4x8	6MM	5	25lbs
TP414AA	1/4" Teak Plywood AA 4x8	6MM	5	25lbs
TP412A3	1/2" Teak Plywood AB 4x8	12MM	7	47lbs
TP414AA	1/2" Teak Plywood AA 4x8	12MM	7	47lbs
TP434A3	3/4" Teak Plywood AB 4x8	18MM	9	66lbs
TP434AA	3/4" Teak Plywood AA 4x8	18MM	9	66lbs



- Marine Type 1 Glue
- Water Resistant Interior Product
- Quarter Sawn Faces
- Cross Laid Layers

- .55MM Veneer Face
- · Lightweight Cores
- Quality Faces
- 4x10 available in quantities of 25pc or more

Teak & Holly Plywood – Commercial Grade Cabin Sole

Product Code	Product Description	Metric Size	Number of Veneers	Weight
TP414TH	1/4" Teak & Holly Plywood 4x8	6MM	5	25lbs
TP412TH	1/2" Teak & Holly Plywood 4x8	12MM	7	47lbs
TP414TH	3/4" Teak & Holly Plywood 4x8	18MM	9	66lbs

- Marine Type 1 Glue, except 1/8"
- Water Resistant Interior Product
- Quarter Sawn Faces
- Cross Laid Layers

- ¼" White Aspen
- 2-3/8" Wide Quarter-Sawn Teak
- 1MM Veneer Face
- 4x10 available in quantities of 25pc or more

Minimum 5 Piece Order for LTL Shipment – Additional \$25.00 Charge for LTL Shipments



(864) 379-2111 (800) 589-6637 (800) 537-3369

TEAK LUMBER

Teak, known as the "king" of hardwoods due to its long service life and durable characteristics, is a close-grained wood with high natural oil content. It is one of the most durable of all timbers, highly resistant to any rotting and almost impervious to the effects of hot sun, rain, frost or snow.

Durable – Teak is resistant to climate extremes, insects and fungus. It is not harmed by acids or alkali solutions. Plus, Teak's inherent silica content and natural oils allow it to weather without the need of preservatives or sealants.

Restorable – Even after being left untreated for years, Teak can be restored to its original golden-brown color. Many prefer to let it weather to an attractive silver-gray. Teak that has been coated with finishes and oils can retain its original condition with regular applications.

GRADES:	FEQ in stock
CUTS:	Flatsawn, Quartersawn
SIZES:	4/4, 5/4, 6/4, 8/4, 10/4, 12/4, 16/4 3" and wider, 6' to 20' Shorts also available Custom sizes are available Special pulls for length or width Special pulls for grain FSC® Certified 100% Recycled Teak Available
DRYING:	Kiln-Dried (KD)



