



# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS ID: AC00003

Issue date: 3/17/2022 Version: 1.0

### SECTION 1: Identification»

#### 1.1. Identification

Product form : Mixture  
Name : Softwood, modified  
Trade name : Accoya Color Grey

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Building materials - Structural, Industrial or Decorative

#### 1.3. Supplier

##### Supplier

Accsys Group  
Westervoortsedijk 73  
P.O. Box 2147  
Arnhem, 6802 CC - The Netherlands  
T +31 263201400  
[receptie@accsysplc.com](mailto:receptie@accsysplc.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

No labeling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : No hazards which require special first aid measures.  
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : Wash skin with plenty of water and soap.

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an ophtalmologist if irritation persists.

First-aid measures after ingestion : Rinse mouth with water.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract.

Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible materials.

Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

#### 6.1.1. For non-emergency personnel

Measures in case of dust release : No flames, no sparks. Eliminate all sources of ignition. All equipment used when handling the product must be grounded. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

No additional information available

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: Disposal considerations" "

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practice. Ensure good ventilation of the work station. Avoid prolonged and repeated contact with skin. All equipment used when handling the product must be grounded. Drilling, sawing, sanding or machining wood products generates wood dust. Avoid dust formation. Fine dust dispersed in air may ignite.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in accordance with local, regional, national or international regulation. Store in a well-ventilated place.
Heat-ignition	: Keep away from heat, sparks and flame.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Softwood, modified	
USA - ACGIH - Occupational Exposure Limits	
Local name	Wood dusts All other species
ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm func; URT & LRT irr. Notations: Oak and beech = A1 (Confirmed Human Carcinogen); Birch, mahogany, teak, walnut = A2 (Suspected Human Carcinogen); All other wood dusts = A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Not applicable.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection:				
Type	Material	Permeation	Thickness (mm)	Penetration
Protective gloves	Leather			
Eye protection:				
Wear eye protection				
Type		Use	Characteristics	
Tightly fitting safety goggles		Dust		
Skin and body protection:				
Wear suitable protective clothing				
Type				
Long sleeved protective clothing				
Respiratory protection:				
Ensure there is adequate ventilation. No respiratory protection needed under normal use conditions. Drilling, sawing, sanding or machining wood products generates wood dust. In case of insufficient ventilation, wear suitable respiratory equipment				
Device		Filter type	Condition	
Dust mask		Type FFP2	Dust	

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dust mask	Type FFP3	If conc. in air > exposure limit
-----------	-----------	----------------------------------

Personal protective equipment symbol(s):



Other information:

Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust).

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Softwood, Wood and wood products
Color	: Gray
Odor	: Slight vinegar odor
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 535 kg/m <sup>3</sup>
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature:	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Potential dust explosion hazard. Particles size : < 63 µm. Ignition temperature: >= 752°F. Layer thickness : 5 mm. Ignition temperature: 662°F.
Oxidizing properties	: No data available
Dust explosion category	: St 1 - Weak explosion

#### 9.2. Other information

Minimum ignition energy	: > 200 mJ , Particle size <63µm
Dust deflagration index	: 158 bar-m/s , Particle size <63µm

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

None under normal conditions.

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified. Dust from this product may cause eye irritation
Respiratory or skin sensitization	: May produce an allergic reaction
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Softwood dust. Suspected of causing cancer
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified. Dust from this product may cause respiratory irritation
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable
Symptoms/effects after inhalation	: Dust from this product may cause irritation to the respiratory tract.
Symptoms/effects after eye contact	: Dust from this product may cause eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

In accordance with Department of Transport / Transportation of Dangerous Goods / IMDG / IATA

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### DOT

No data available

#### TDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

No additional information available

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

#### Softwood, modified

U.S. - California - Proposition 65 - Carcinogens List	Yes
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No
U.S. - California - Proposition 65 - Other information	Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Exposure to wood dust in significant amounts on a recurring basis can cause cancers of the nose, throat, and sinuses. Proposition 65 requires businesses to determine if they must provide a warning about exposure to listed chemicals. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .

### SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Training advice

: Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure.

#### Abbreviations and acronyms

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
DNEL	Derived-No Effect Level
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG	International Maritime Dangerous Goods
ICAO	International Civil Aviation Organization

#### Indication of changes:

Not applicable.

SDS US (GHS HazCom 2012) - RHDHV

# Accoya Color Grey

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.